## ACKNOWLEDGEMENT OF NOTIFICATION OF HAZARDOUS WASTE ACTIVITY (VERIFICATION)

This is to acknowledge that you have filed a Notification of Hazardous Waste Activity for the installation located at the address shown in the box below to comply with Section 3010 of the Resource Conservation and Recovery Act (RCRA). Your EPA Identification Number for that installation appears in the box below. The EPA Identification Number must be included on all shipping manifests for transporting hazardous wastes; on all Annual Reports that generators of hazardous waste, and owners and operators of hazardous waste treatment, storage and disposal facilities must file with EPA; on all applications for a Federal Hazardous Waste Permit; and other hazardous waste management reports and documents required under Subtitle C of RCRA.

EPA I.D. NUMBER	•NYDG59385120		
	GEWERAL ELECTRIC CO PO BOX 4840 SYRACUSE	KY	13221
INSTALLATION ADDRESS	ELECTRONICS PARKWAY LIVERPOOL	WY	13088

EPA Form 8700-12B (4-80)

11/07/80

0680 11/7/6

					WAYDOS	9385720	2 1
IX. DES	SCRIPTION OF HA	ZARDOUS WAS	TES (continued from )	front)		WEIGHER	
			C SOURCES. Enter the to handles. Use additional		40 CFR Part 261.31 fo	or each listed hazardous	
B. HAZA	F 0 0 7 F 0 0 7 23 - 26 7 ARDOUS WASTES FRO	2 F 0 0 2 23 - 26 8 F 0 0 8 23 - 26	F 0 0 3 23 26 P 0 0 9 23 25 RCES. Enter the four-di	F 0 1 0 25 10 10 10 10 10 10 10 10 10 10 10 10 10	F 0 0 5 23 - 26 11 F 0 1 7 23 - 26 3 Part 261.32 for each	F 0 0 6 23 - 26 12 listed hazerdous waste	from
			es. Use additional sheets				
	13	14	15	16	17	18	903
	23 - 26	23 - 26	23 - 26	23 - 26	23 - 26	23 - 26	
	23 - 26	23 - 26	23 - 26	23 - 26	23 - 26	23 - 26	
C. COMM	MERCIAL CHEMICAL Syour installation hand	PRODUCT HAZAFiles which may be a	RDOUS WASTES. Enter hazardous waste. Use add	the four—digit number f	rom 40 CFR Part 261. v. Page 1 of 3	33 for each chemical su	b-
	P 0 0 5	P 0 1 1 23 - 26	P 0 1 8	P 0 2 2	P 0 2 9	P 0 3 0	
	P 0 5 3	P 0 7 6	P 0 7 8 23 - 26	P 0 9 8 23 - 26	P 1 0 4 23 - 26	P 1 0 6 23 - 26 48	
	P 1 2 1	U 0 0 1	U 0 0 2	U 0 0 3	U 0 0 6	U 0 1 2	
			r—digit number from 40 installation handles. Use			te from hospitals, veteri	nary
CRICKS	49	56	51	52	53	54	
			RDOUS WASTES. Mark		ponding to the charact	teristics of non–listed	
V CEP	(DO01)		2. CORROSIVE	∭3. REAC (D003)	TIVE	<b>□</b> 4. TOXIC (D000)	Alka GL
A. CER	TIFICATION						

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

NAME & OFFICIAL TITLE (type or print)
Dayton E. Hardwick, Manager

Electronic Syst. Rel. & Util. Oper.

EPA Form 8700-12 (6-80) REVERSE

General Electric Company P.O. Box 4840 Electronics Parkway

IX - Description of Hazardous Wastes

C - Commercial Chemical Product Hazardous Wastes - Pg 3 of 3 Liverpool, NY 13088

94	95	9	97	98
U226	U227	U22	8 U229	U238
99				
U239				

Copod

IX — Description of Hazardous Wastes

C—Commercial Chemical Product Hazardous Wastes (cont'd) Pg 2 of 3 triverpool, NY 13088

			r		т		1	1
49		50		51	-	52		53
U013	<b>\</b>	U017		<b>U</b> 019		υ025		U031
54	U. A	55		56		57		58
U032	( D)	U037		U044		U052		U076
59		60		61		62		63
U077		U107		U108		U112		U113
64		65		66		67		68
U114		U117		U121		U122		U123
69		70	ì	71		72		73
U133		U134		U140	, 12	U144		U145
74		75		76		77		78
U147		U151		U154		U159		U161
79		80		81		82		83
U162		U165		U167		U168		U169
84		85		86		87		88
U188		U190		U196		U197		U208
89		90	_	91		92	- District of the Control of the Con	93
U210		U213		U219		U220		U222

## RCRA INSPECTION REVIEW SHEET

Name of Facility - General Electric-Electronics Park, Syracuse, NY
RCRA ID# - NYD059385120
Date of Inspection - 6-24-81
Type of Inspection: Generator Transporter TSD
Name of EDA/State Inspector

Name of EPA/State Inspector -

Charles Branagh, NYSDEC

Findings of Inspection:

manifest does not indicate alternate facility

Action(s) Taken: wow

Action(s) Recommended:

## AUG 2 1 1984

Mr. Mehran Bayranzadeh
Assistant Engineer
Permits Section
Division of Solid and Hazardous Maste
New York State Department of
Environmental Conservation
50 Noil Road
Albany, New York 12233-0001

Dear Mr. Bayramzadeh:

We received the revised closure/post closure plan for the storage facility at General Electric Company's Electronics Park, Syracuse, New York, EPA I.D. Number NYD059385120.

This closure plan appears to have all the necessary documents to meet the requirements of an acceptable closure plan (40 CFR §265.112 and §265.142).

I am requesting that the State review the enclosed closure plan and provide written comments to me by September 5, 1984.

If there are any questions concerning this matter, please feel free to contact me at 212/264-1913.

Sincerely yours,

William C. Smith Permit Section Solid Waste Branch

Enclosure

bcc: R. Testa, PAD

SEPA NOTIFICATION OF HAZARDOUS	
INSTALLA- TION'S EPA I.D. NO.	information on the label is incorrect, draw a line through it and supply the correct information
I. STALLATION	in the appropriate section below. If the label is complete and correct, leave Items I, II, and III below blank. If you did not receive a preprinted
INSTALLA- TION II. MAILING ADDRESS PLEASE PLACE LABEL IN	label, complete all items. "Installation" means a single site where hazardous waste is generated,
IIL LOCATION LATION	CATION before completing this form. The information requested herein is required by law (Section 3010 of the Resource Conservation and Recovery Act).
FOR OFFICIAL USE ONLY	
COMME	NTS
C	TE DECEMENT
INSTALLATION'S EPA I.D. NUMBER APPROVED (G	TE RECEIVED
I. NAME OF INSTALLATION	Control of the Contro
30	
II. INSTALLATION MAILING ADDRESS	57
STREET OR P.O. BOX	
3 15 16	
CITY OR TOWN	ST. ZIP CODE
4	
III. LOCATION OF INSTALLATION	40 41 42 47 - 51
STREET OR ROUTE NUMBER	MINISTER OF SERVICE AND
CITY OR TOWN	ST. ZIP CODE
6	40 41 42 47 - 31
IV. INSTALLATION CONTACT  NAME AND TITLE (last, first, & job title	
2	PHONE NO. (eres code & no.)
19 16	45 46 - 46 49 - 51 52 - 65
V. OWNERSHIP  A. NAME OF INSTALLATI	ON'S LEGAL OWNER
c 8 115 116 TYPE OF OWNERSHIP (enter the appropriate letter into hor) VI. TYPE OF HAZARDO	
(enter the appropriate letter into box) VI. TYPE OF HAZARDO	US WASTE ACTIVITY (enter "X" in the appropriate box(es))
F = FEDERAL M = NON-FEDERAL C. TREAT/STOR	B. TRANSPORTATION (complete item VII)
VII. MODE OF TRANSPORTATION (transporters only - enter	
	D. WATER DE. OTHER (specify):
VIII. FIRST OR SUBSEQUENT NOTIFICATION	是在1964年中的中国企业,1964年中国企业中国企业中国企业中国企业中国企业企业的企业企业企业企业企业企业企业企业企业企业企业企业企业企业企业企业企业
Mark "X" in the appropriate box to indicate whether this is your installated fit this is not your first notification, enter your Installation's EPA I.D. No.	ation's first notification of hazardous waste activity or a subsequent notification.  umber in the space provided below.  C. INSTALLATION'S EPA LD. NO.
A. FIRST NOTIFICATION B. SUBSEQUENT N	OTIFICATION (complete item C)
IX. DESCRIPTION OF HAZARDOUS WASTES	

	I.D FOR OFFICIAL USE ONLY							
				WN4 DO 59	3851202	1		
	. DROUGHUAS	TEC / washing of from fr	out!		13 14	15		
IX. DESCRIPTION OF HAZ	IX. DESCRIPTION OF HAZARDOUS WASTES (continued from front)  A. HAZARDOUS WASTES FROM NON—SPECIFIC SOURCES. Enter the four—digit number from 40 CFR Part 261.31 for each listed hazardous							
waste from non-specific source	ces your installation	on handles. Use additional	sheets if necessary.			_		
cal 4013	4017	3 4 9 23 - 24	4025	<u>U03)</u>	U 0 3 2			
a u 037	4044	9 U 0 S 2 23 24	10	4077	U ( 0 7	DETACH		
B. HAZARDOUS WASTES FRO specific industrial sources you	M SPECIFIC SOL installation hand	JRCES. Enter the four—dig lies. Use additional sheets i	git number from 40 CF f necessary.	R Part 261,32 for each li	sted hazardous waste fro	m >		
Q UIO8	U 1 1 2	15	16	23 - 26	18			
U 1 2 2	20 U 1 2 3	U 133	22	23	24			
C. COMMERCIAL CHEMICAL	<u>U 1 4 7</u>	27	U154	U 1 59	4161			
stance your installation handle	es which may be a	hazardous waste. Use add	itional sheets if necess	Bry.				
a 4162	32 U 165	133 1167	34 U ( 6 R	35	36			
C. 41190	38 U (96 23 - 26	39	40	41	42 13			
4219	4220	45 U222	46 U 2 2 6 23 26	227	U228			
D. LISTED INFECTIOUS WAST hospitals, medical and research	ES. Enter the for his boratories you	ur—digit number from 40 C ur installation handles. Use	FR Part 261.34 for ea additional sheets if ne	ch listed hazardous waste cessary.	from hospitals, veterina	7		
0 4229	4238	4239	52	53	23 - 24			
E. CHARACTERISTICS OF NO hazardous wastes your instalk	N-LISTED HAZ	ARDOUS WASTES. Mark to 40 CFR Parts 261.21 - 2	"X" in the boxes corn 261.24.	esponding to the characte	ristics of non-listed	ł		
1. IGNITABLE		2. CORROSIVE	[3. REA (D003)		4. TOXIC (D000)			
X. CERTIFICATION					<del>/                                    </del>			
I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.								

NAME & OFFICIAL TITLE (type or print)

EPA Form 8700-12 (6-80) REVERSE

SIGNATURE

ap

DATE SIGNED

## G.F. Electronics PARKS

GENERAL Comment

Acepting waste from offsile &

No Closuce Certification: approve if

Not

NR. Pickard \$/31 11:43 pm

6.E. is not the transporter from their

facility to the vendor, but they do

pick up the waste from their other

facilities with the manifest address

be the vendor and use the Electrones

PARK facility as a transfer point.